

Wavin



Pricelist USA FGG-0424

(USA)

June 2024, Replaces FGG-0422R

FlowGuard Gold®

FlowGuard Gold® Pipe & Fittings

CPVC Specialty Fittings





NOTICE

BOW FLOWGUARD GOLD® PIPES ARE SOLD PER CRATE QUANTITIES ONLY

Bag quantities shown on this list are for reference purposes only

BOW FLOWGUARD GOLD® FITTINGS ARE SOLD PER CARTON QUANTITIES ONLY

Inner Quantities shown on this list are for reference purposes only

Licensee holder Bow Plumbing Group, Inc.

Contents

CPVC CTS Pipe	04
Lengths	04
Coupling	05
Bushing	05
90° Elbow	05
Street 90° Elbow	05
45° Elbow	05
Street 45° Elbow	05
Cap	05
Tee	05
Reducing Tee	05
CPVC CTS Fittings	06
Reducing Tee	06
Union (Hub x Hub)	06
Male Adapter (CPVC MPT x CPVC Hub)	06
Female Adapter (CPVC MPT x CPVC Hub) Washer Included	06
Drop Ear Elbow (2 Ears)	06
Drop Ear Elbow (3 Ears) Washer Included	06
CPVC Specialty Products	07
No-Lead Male Adapter Brass	
Threaded (CPVC FPT x CPVC Hub)	07
No-Lead Female Adapter Brass	
Threaded (Brass FPT x CPVC Hub)	07
No-Lead Drop Ear Elbow (Brass FPT x CPVC Hub)	07
CPVC Hub x Copper Sweat	07
CPVC Adapter (CPVC Hub x Copper Pex Barb)	07
Transition Adapter Tailpiece "O - Ring"	07
Line Stop (CPVC Hub x CPVC Hub)	07
Stop & Waste with Drain (Hub x Hub)	07
Boiler Drain (Hub x Hose Thread)	07
Boiler Drain (FTP x Hose Thread)	07
BALL VALVES CPVC (Hub x CPVC Hub)	07
Stops (No lead)	07
Notes	08
Conditions of Sale	10
Warranty	11

CPVC CTS Pipe

C-23 MULTIPLIER

With High Durability and Impact Resistance for Hot or Cold Water Applications
Complies with CSA B137.6 and ASTM D2846
Listed for Flame Spread and Smoke Developed Ratings to ASTM E84 under ICC-ES
Report PMG-1264. Working pressure 100 psi at 180°F / 400 psi at 73°F.

Lengths

SOLD PER CRATE QUANTITIES ONLY



Dimension Nominal	Dimension O.D.	Item	Lengths	Feet Per Bag	Feet Per Crate	Price Per 100'
1/2"	.625	585083	10'	500'	20,000'	408.19
		585018	20'	1000'	20,000'	408.19
3/4"	.875	585174	10'	250'	10,000'	627.46
		585190	20'	500'	10,000'	627.46
1"	1.125	585216	10'	280'	5,600'	1,346.02
		585224	20'	280'	5,600'	1,346.02
1 - 1/4"	1.375	585265	10'	180'	3,600'	2,349.63
		585364	20'	200'	4,000'	2,349.63
1 - 1/2"	1.625	585273	10'	120'	3,000'	3,125.56
		585372	20'	160'	3,200'	3,125.56
2"	2.125	585281	10'	80'	1,600'	5,274.13
		585380	20'	100'	2,000'	5,274.13



CPVC CTS Pipe

C-11 MULTIPLIER

For use with CPVC tube size pipe for hot or cold water applications.

Complies with ASTM D2846. Working pressure: 100 PSI at 180°F, 400 PSI at 73°F.

Coupling

(Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520114	25	500	2.76
3/4"	520122	25	250	3.44
3/4" IPS x 3/4" CTS	520171	25	250	12.42
3/4" x 1/2"	520130	25	250	6.42
1"	520155	10	100	15.40
1" IPS x 1" CTS	520221	25	100	23.52
1" x 3/4"	520163	10	100	19.36
1"-1/4"	520189	10	50	21.14
1"-1/2"	520197	10	50	29.88
2"	520205	5	25	53.74

Bushing

(Hub x Spigot)



Dimension	Item	Inner Pack	Carton	List Price
1/2" IPS x 1/2" CTS	522581	10	100	18.21
3/4" x 1/2" CTS	520213	25	250	4.17
3/4" IPS x 3/4" CTS	522599	10	100	18.41
1" x 1/2" CTS	520254	10	100	13.66
1" x 3/4" CTS	520247	10	100	13.66
1" IPS x 1" CTS	520262	10	100	20.31
1-1/4" x 1/2" CTS	520734	10	50	19.56
1-1/4" x 3/4" CTS	520270	10	50	17.68
1-1/4" x 1" CTS	520288	10	50	15.40
1-1/4" IPS x 1-1/4" CTS	522649	10	100	26.02
1-1/2" x 1/2" CTS	522508	10	100	23.01
1-1/2" IPS x 1-1/2" CTS	520742	10	50	32.78
1-1/2" x 3/4" CTS	520304	10	50	23.01
1-1/2" x 1" CTS	520320	10	50	21.86
1-1/2" x 1-1/4" CTS	520312	10	50	21.86
2" x 1/2" CTS	522516	10	50	54.56
2" x 3/4" CTS	522524	10	50	51.02
2" x 1" CTS	520338	5	25	49.26
2" x 1-1/4" CTS	520759	5	25	57.98
2" x 1-1/2" CTS	520346	5	50	49.26
2" IPS x 2" CTS	522631	10	100	34.57

90° Elbow

(Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520437	25	500	3.20
3/4"	520460	25	250	5.20
3/4" x 1/2"	520478	25	250	11.96
1"	520486	10	100	15.19
1"-1/4"	520494	10	50	30.29
1"-1/2"	520502	10	50	54.67
2"	520510	5	25	104.84

Street 90° Elbow

(Hub x Spigot)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520445	25	500	3.96
3/4"	520452	25	250	6.23
1"	563239	10	100	28.21

45° Elbow

(Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520544	25	500	4.27
3/4"	520551	25	250	7.34
1"	520569	10	100	17.61
1-1/4"	520577	10	50	39.48
1-1/2"	520585	10	50	57.15
2"	520593	5	25	113.27

Street 45° Elbow

(Hub x Spigot)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520528	25	500	8.55
3/4"	520536	25	250	11.96
1"	563288	10	100	34.57

Cap

(Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520353	25	500	2.91
3/4"	520361	25	250	3.85
1"	520379	10	100	13.95
1-1/4"	520387	10	50	19.78
1-1/2"	520395	10	50	30.51
2"	520403	5	25	61.64

Tee

(Hub x Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520007	25	500	4.38
3/4"	520015	25	250	7.62
1"	520023	10	100	39.87
1-1/4"	520031	10	50	61.12
1-1/2"	520049	10	50	79.65
2"	520056	5	25	128.80

Reducing Tee

(Hub x Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2" x 1/2" x 3/4"	520833	25	500	14.90
3/4" x 1/2" x 1/2"	520098	25	250	7.91
3/4" x 1/2" x 3/4"	520072	25	250	10.72
3/4" x 3/4" x 1/2"	520064	25	250	8.35
3/4" x 3/4" x 1"	520841		25	87.87
1" x 1/2" x 1/2"	520858		25	94.76
1" x 1/2" x 3/4"	520866		25	93.19
1" x 1/2" x 1"	520874		25	71.64
1" x 3/4" x 1/2"	520882		25	88.52

SOLD PER CARTON QUANTITIES ONLY

Inner Pack quantities shown are for reference use only

CPVC CTS Fittings

C-11 MULTIPLIER

For use with CPVC tube size pipe for hot or cold water applications.

Complies with ASTM D2846. Working pressure: 100 PSI at 180°F, 400 PSI at 73°F.

Reducing Tee

(Hub x Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1" x 3/4" x 3/4"	520890	25	48.31	
1" x 3/4" x 1"	520908	25	70.81	
1" x 1" x 1/2"	520916	25	45.29	
1" x 1" x 3/4"	520106	25	43.23	
1-1/4" x 1" x 1/2" 1"	521005	25	106.95	
1-1/4" x 1" x 3/4"	521013	25	106.95	
1-1/4" x 1" x 1"	521021	25	137.24	
1-1/4" x 1" x 1-1/4"	521039	25	94.33	
1-1/4" x 1-1/4" x 1/2"	521047	25	110.48	
1-1/4" x 1-1/4" x 3/4"	521054	25	98.30	
1-1/4" x 1-1/4" x 1"	521062	25	103.89	
1-1/4" x 1-1/4" x 1-1/2"	521070	25	137.85	
1-1/2" x 1" x 1"	521203	25	133.79	
1-1/2" x 1-1/2" x 1/2"	521286	25	118.89	
1-1/2" x 1-1/2" x 3/4"	521294	25	99.11	
1-1/2" x 1-1/2" x 1"	521302	25	90.80	
2" x 2" x 1/2"	521633	25	166.60	
2" x 2" x 3/4"	521641	25	136.40	
2" x 2" x 1"	521658	25	129.20	
2" x 2" x 1-1/2"	521674	25	145.66	

Female Adapter

(CPVC FPT x Hub) Washer Included



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520684	25	250	10.51
3/4"	520692	25	250	14.90
1"	520700	10	100	16.97

Drop Ear Elbow

(2 Ears)



Dimension	Item	Inner Pack	Carton	List Price
1/2" (Hub x Hub)	520429	25	250	10.00

Drop Ear Elbow

(3 Ears) Washer Included



Dimension	Item	Inner Pack	Carton	List Price
1/2" (Hub x FPT)	520411	25	250	16.67

Union

(Hub x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520817	10	50	15.82
3/4"	520825	10	50	25.10
1"	522656	5	25	41.13

Male Adapter

(CPVC MPT x Hub)



Dimension	Item	Inner Pack	Carton	List Price
1/2"	520601	25	250	3.44
1/2" x 3/4" Reducing	520767	25	250	14.05
3/4"	520627	25	250	5.93
1"	520635	10	100	26.44
1-1/4"	520643	10	50	43.31
1-1/2"	520650	10	50	53.41
2"	520668	5	25	88.08

- ② When connecting to metallic threads, and where large temperature fluctuations are likely, we recommend metallic transition adapters..
- ② For connection to non-metallic threaded fittings. Use a positive seal system with straight thread.

SOLD PER CARTON QUANTITIES ONLY
Inner Pack quantities shown are for reference use only

CPVC Specialty Products

C-14 MULTIPLIER



No-Lead Male Adapter Brass Threaded

(Brass MPT x CPVC Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	524009	10	100	85.75
3/4"	524017	10	50	94.45
1"	524025	5	25	267.91
1-1/4"	524033	2	10	360.58
1-1/2"	524041	2	10	411.17
2"	524058	1	5	812.25



No-Lead Female Adapter Brass Threaded

(Brass FPT x CPVC Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	524066	10	100	113.90
3/4"	524074	10	50	133.58
1"	524082	5	25	303.79
1-1/4"	524108	2	10	431.87
1-1/2"	524116	2	10	483.87
2"	524124		5	972.97



No-Lead Drop Ear Elbow

(Brass FPT x CPVC Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2" (3-Ear)	524132	10	50	126.49



CPVC Hub x Copper Sweat

Dimension	Item	Inner Pack	Carton	List Price
1/2"	563536	5	50	50.19
3/4"	563544	5	50	97.11

Disassemble before soldering



CPVC Adapter

(CPVC Hub x Copper Pex Barb)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	522441	10	100	49.49
3/4"	522458	10	100	56.25



Transition Adapter Tailpiece

"O-Ring"

Dimension	Item	Inner Pack	Carton	List Price
1/2"	520718	10	250	9.72
3/4"	520726	10	250	13.88



Line Stop

(Hub x Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	564062	5	25	33.64
3/4"	564369	5	25	35.43



Stop & Waste with Drain

(Hub x Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	564260	5	25	37.88
3/4"	564468	5	25	39.64



Boiler Drain

(Hub x Hose Thread)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	564864	5	25	42.75



Boiler Drain

(FPT x Hose Thread)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	564385	5	25	43.05



Ball Valves CPVC

(Hub x Hub)

Dimension	Item	Inner Pack	Carton	List Price
1/2"	565580	5	25	67.73
3/4"	565598	5	25	80.08
1"	565606	5	25	92.34
1-1/4"	565531	5	25	143.39
1-1/2"	565549	5	25	206.72
2"	565556	5	25	263.31



Stops (No lead)

Dimension	Item	Inner Pack	Carton	List Price
1/2" CPVC Hub x 3/8" Compression (Angle) 1/4 Turn	524736	25	100	27.60
1/2" CPVC Hub x 3/8" Compression (Straight) 1/4 Turn	524744	25	100	26.43

SOLD PER CARTON QUANTITIES ONLY
Inner Pack quantities shown are for reference use only

Notes

[illegible]



FlowGuard Gold® Pipe & Fittings CPVC Special Fittings

Conditions of sales

In addition to the General Terms and Conditions of Sale found on our website, <https://www.bow-group.com/terms-and-conditions>, the following also applies to all sales of our Wavin products:

Freight

Freight is prepaid on fittings orders totaling \$2500.00 net, on orders including pipe coils totaling \$3500.00 net, and on orders including pipe lengths totaling \$4000.00 net.

All products except ABS Pipe may be combined.

Minimum Order

The minimum order is \$300.00 net.

Notice

Minimum Order Quantity Policy

Since February 28, 2022, a new order policy was put into effect and implemented.

All FGG pipe must be purchased and shipped in full crates and all FGG fittings and CPVC specialty products must be purchased and shipped in carton quantities only.

Crates and carton quantities are listed in the current FlowGuard Gold® excel list posted on our website at www.wavin.us

These changes help alleviate issues in regards to freight loss, shortages and damaged goods we have been experiencing over the past years.



10 Year Limited Warranty

Subject to the conditions and limitations in this Limited Warranty, Wavin guarantees its FlowGuard Gold® pipe and fittings against defects resulting from faulty manufacturing for 10 years from the initial date of sale by Wavin. Wavin will not be liable for damages caused by raw materials or component defect failures. Defects and failures must be reported to Wavin within 30 days after such failure occurs. The claimant under this Limited Warranty will be required to return the product to Wavin at claimant's expense for analysis by Wavin. If the conditions of this Limited Warranty are met, Wavin will ship, free of charge and freight prepaid, a quantity of product equal to the failed product or will reimburse the purchase price of the failed product at Wavin's option. In no case, will claims for labor charges, consequential property damage or personal injury be honored.

This Warranty is the only Warranty made by Wavin and is expressly in lieu of all other warranties expressed by anyone or implied, including implied warranties of merchantability or fitness for a particular purpose.

The Limited Warranty will only apply:

1. If the product is installed in accordance with good plumbing and heating practices, applicable code requirements and Wavin's current published installation instructions and,
2. If the product is not misused, abused, kinked, mishandled, damaged, improperly stored, or improperly exposed to UV or exposed to excessive heat, cold or pressure or incompatible media.

Discover our broad portfolio at wavin.us

- Water management
- Heating and cooling
- Water and gas distribution
- Waste water drainage



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.



Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

Wavin 950 Winter Street, South Entrance 1st Floor, Waltham, MA 02451, United States | 5700 Côte de Liesse Montréal, QC H4T 1B1
Phone CAN 514-735-7585 / 1800-561-1169 | US 514-735-3632 / 1800-763-3632 |
E-mail customer.service@orbia.com | wavin.us | wavin.ca

© 2025 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.

@Montreal 7282025